

MATERIAL SAFETY DATA SHEET NYACOL® AL25, AL25-HP

REVISION: 10/11/2012 SUPERSEDES: NONE PAGE: 1 OF 4

1. Chemical Product and Company Identification

Trade Name: NYACOL® AL25, NYACOL® AL25-HP

Chemical Name: Aluminum Hydroxide Oxide

Synonyms: Colloidal Alumina, Alumina Dispersion in Water

Product Code: AL25, AL25-HP

Use: Ceramics, Textiles, Papermaking Manufacturer: Nyacol Nano Technologies, Inc.

Megunko Road, P.O.Box 349, Ashland, MA 01721 U.S.A.

508-881-2220

Emergency Telephone: CHEMTREC: 800-424-9300

E-mail Contact: info@nyacol.com

2. Hazard Identification

<u>Emergency Overview</u> White liquid. No odor. Keep spills out of surface waters.

<u>Classification</u> Not harmful. Symbol: Not applicable.

Risk Phrases: None. Safety Phrases: None.

Potential Health Effects / Health Hazard Identification

Acute Exposure:

Eye: Irritant.

Skin: Irritation, drying or cracking of skin due to drying effects.

Ingestion: Not available.
Inhalation: Not available.
Chronic Exposure: Not available.

Other Hazards

Known Synergists: None known. Explosion Hazard: None known. Fire Hazard: None known. Corrosion Hazard: Not available.

3. Composition / Information on Ingredients

Component CAS# **Exposure Limits** Percent By Weight Aluminum Hydroxide Oxide: 24623-77-6 2mq/M³20 - 257697-37-2 Nitric Acid: 5mg/M³<1 Water: 7732-18-5 None 75 - 79Component **EINECS** # RTECS # REACH #

 Aluminum Hydroxide Oxide:
 246-368-8
 BD0950000
 05-2117294577-26-0000

 Nitric Acid:
 231-714-2
 QU5775000
 05-2117294593-32-0000

Water: 231-791-2 ZC0110000 N/A

4. First Aid Measures

Eye Contact: Flush eyes with large quantities of water. If irritation persists get medical

attention.

Skin Contact: Wash with soap and water.

Ingestion: Give water. Do not induce vomiting. Seek medical professional.

Never give anything by mouth to an unconscious person.

Inhalation: Remove person from exposure. Consult medical professional.

First Aid Facilities: Eye wash station. Advice to Physicians: Not available.



MATERIAL SAFETY DATA SHEET NYACOL® AL25, AL25-HP

REVISION: 10/11/2012 SUPERSEDES: NONE PAGE: 2 OF 4

5. Firefighting Measures

Flammability: Material will not burn in a fire.

Containers can build pressure if exposed to heat or fire.

All are acceptable. Cool container with water spray. Extinguishing Media:

Wear standard full firefighting turn-out gear (full bunker gear) and respiratory Protective Equipment:

protection (SCBA).

Special Exposure Hazard: None known.

6. **Accidental Release Measures**

Leaks and Spills: Contain spill or leak with sand, clay or absorbents. Recover liquid for recycle or

disposal. Do not allow spills into sewers or surface waters. Place absorbents.

waste products and contaminated soil into containers for disposal.

Eye protection and impervious gloves. An approved air-purifying respirator Personal Protection:

should be worn if dust or mist is present.

7. Handling and Storage

Handling: Avoid generating mist or dust during use. Store in cool dry area. Do not freeze. Storage:

8. **Exposure Controls / Personal Protection**

Engineering Control: Use exhaust ventilation to keep airborne concentrations below exposure limits. **Respiratory Protection:**

When respiratory protection is required or concentrations are unknown, use

approved an air-purifying respirator with dust cartridge.

Skin Protection: Clean body-covering clothing; impervious gloves such as neoprene.

Eye Protection: Wear approved safety glasses.

9. **Physical and Chemical Properties**

White liquid Appearance:

Odor: None

Physical State: Liquid. NYACOL AL25 and AL25-HP are water-based materials.

pH:

Boiling Point: 100°C (212°F) water Freezing Point: 0°C (32°F) water

Flash Point: None

2260 kPs (17 mm Hg) at 20°C water Vapor Pressure:

Oxidizing Properties: Not an oxidizer

Solubility in Water: Soluble in all proportions

Density: 1200 Kg/M³ Specific Gravity: 1.2 (water = 1)

75 - 80Volatile by Weight: Viscosity: <15 cP

Explosion Limits: Not applicable Partition Coefficient: Not applicable

Evaporation Rate: Slow (Butyl Acetate = 1)

10. Stability and Reactivity

Chemical Stability: Stable under normal ambient/anticipated storage/handling conditions.

Conditions To Avoid: No recommendation.

Incompatibility With Other

Materials: Not available.

Hazardous Decomposition

Products: Oxides of nitrogen.

Hazardous Polymerization: Will not occur.



MATERIAL SAFETY DATA SHEET NYACOL® AL25, AL25-HP

REVISION: 10/11/2012 SUPERSEDES: NONE PAGE: 3 OF 4

11. Toxicological Information

 $\begin{array}{ll} \underline{\text{Material}} & \underline{\text{LD}_{50}, \text{Rat, Oral}} \\ \text{Aluminum Hydroxide Oxide:} & >2.000 \text{ mg/kg} \\ \text{Nitric Acid:} & >90 \text{ mL/kg} \\ \text{Water:} & \text{None reported.} \end{array}$

Effects

Eye Effects: No published data available. Should be irritating based on pH. Skin Effects: No published data available. Dry skin has been reported.

Inhalation Effects: Not available. Ingestion Effects: Not available.

12. Ecological Information

Ecotoxicity: Not available. Persistence: Not available.

13. Disposal Considerations

Disposal Considerations: Evaporate water from sol and dispose of the solids in a landfill.

United States: Not a RCRA-regulated waste.

14. Transport Information

Regulations Shipping Name **Hazard Class** Packing Group U.N. Number Not applicable Not applicable U.S. D.O.T.: Not applicable Not applicable ICAO/IATA: Not applicable Not applicable Not applicable Not applicable IMO/IMDG: Not applicable Not applicable Not applicable Not applicable ADR: Not applicable Not applicable Not applicable Not applicable

15. Regulatory Information

U.S. Federal Regulations

EPA TSCA Inventory: All ingredients listed.

SARA Section 313: Does not contain any Section 313 materials above the 1% level.

D.O.T. Regulations: See Section 14.

U.S. State Regulations

California Proposition 65: No ingredients listed.

State Right-to-Know Laws: Section 2 of this MSDS lists all components of NYACOL AL25 and AL25-HP.

Canadian Regulations

Domestic Substance List: All ingredients listed.

WHMIS: Aluminum Hydroxide Oxide: Not controlled.

Nitric Acid: Disclose at 1%.

Transportation of

Dangerous Goods: Not applicable. NYACOL AL25 and AL25-HP do not meet dangerous goods

criteria.

Controlled Products

Regulations: This MSDS contains all the information items specified in Schedule 1, Column 3

of the Controlled Products Regulations in a 16-heading format.

EC Regulations

Classification: Not harmful.
Symbol: None.
Risk Phrases: None.

Safety Phrases: None.



MATERIAL SAFETY DATA SHEET NYACOL® AL25, AL25-HP

REVISION: 10/11/2012 SUPERSEDES: NONE PAGE: 4 OF 4

16. Other Information

NFPA 704 Hazard Rating: Health - 0, Flammability - 0, Reactivity - 0, Special - None

HMIS® Hazard Rating: Health - 1, Flammability - 0, Reactivity - 0

Protective Equipment - E: safety glasses, gloves, dust respirator

Recommended Use: NYACOL AL25 and AL25-HP are recommended for use in ceramics, textiles and

papermaking. Other uses have not been investigated and may have other

hazards. For industrial use only, not for food, drug or home use.

Work Alert: Workers using NYACOL AL25 and AL25-HP should read and understand this

MSDS and be trained in the proper use of this material.

MSDS Prepared By: Robert J. Nehring, Jr.

Nyacol Nano Technologies, Inc. Telephone: 508-881-2220 U.S.A.

Revision Date: October 11, 2012

Supersedes: None

This MSDS has been prepared with data from Nyacol Nano Technologies, Inc.'s laboratories, raw material suppliers and government publications.

Information herein is accurate to the best of our knowledge. Suggestions are made without warranty or guarantee of results. Before using, the user should determine the suitability of the products for the intended use, and the user assumes the risk and liability in connection therewith. We do not suggest violation of any existing patents or give permission to practice any patented invention without license.

NYACOL® is a registered trademark of Nyacol Nano Technologies, Inc.